




## Technical Data Sheet

### 2,6-Xylidine

#### 1. Introduction

2,6-Xylidine is a yellowish amber coloured liquid, is slightly soluble in water & odour is weak aromatic odour. It is stable in recommended under storage condition.

1. Product: 2,6-Xylidine
2. CAS No: 87-62-7
3. Molecular Formula: C<sub>8</sub>H<sub>11</sub>N
4. Molecular Weight: 121.18
5. Structure



#### 2. Physical Properties:

Physical state: Liquid

Appearance: clear liquid

Melting Point : 10-12°C(50-54 ° F) -lit

Boiling point :- 214°C

Stability: The product, stored in recommended under storage condition.

Specific Gravity: 0.984 g/cm<sup>3</sup>

Flash Point:- 91°C (196°C) Closed cup

Autoignition Temp: - 490°C



### **3. Product Quality Specification:**

Sr Number	Parameter	Specification
01	Physical Appearance	Pale yellow to Amber liquid ( Colour darken on storage)
02	Moisture by KF	0.20 % Max
03	Purity by GC	99.00% Min
04	Other Impurity	1.00% Max

### **4. Packing Information:**

Sr. Number	Grade	Packing	Secondary Packing
01	Liquid	200 Kg HDPE & 200Kg MS Drums	Loose container & Tanker

### **5.PRODUCT USES**

**1)Used in Dyes :**

**2) Used in Agrochemicals & pharmaceutical :**

### **6. Regulatory Information :-**



Particulars	Information	Pictogram
Hazard Class	6.1	
Label		
Subsidiary Label	Toxic	
UN Number	1711	
Proper shipping Name	Xylidine, Liquid	
Packing Group	II	

## **REACH Details :-** \_\_\_\_\_

2,6-Xylidine

## **7. PRODUCT SAFETY INFORMATION :**

2,6-Xylidine may irritate the skin or eyes. Although it is used in small amounts as a food preservative, direct ingestion can irritate the mouth, esophagus or stomach, cause other toxic effects and can even be fatal. Inhaling Meta toluidine can irritate the nose, throat or lungs. Inhaling large amounts of dust, or mist can cause acute toxic effects and can be fatal.

As with any chemical, Meta toluidine requires care in handling. Anyone responsible for the procurement, use or disposal of this product should familiarize himself and those handling the product with the appropriate safety and handling precautions. This information is available in the Material Safety Data Sheet, which may be obtained by contacting our Customer Service Group.



## **8. Manufacture Site :**

Deepak Nitrite Ltd.  
Plot No- K-10, MIDC,  
Taloja A.V,  
Dist -Raigad. 410 208.  
State- Maharashtra.  
India.

Deepak nitrite Ltd  
Plot No- 1/26,27,29, 31,  
MIDC Dhatav, Roha.  
Dist -Raigad 402 116.

## **9. Corporate Headquarter: :**

Deepak Nitrite Ltd.  
Aaditya-I, National Highway No. 8, Chhani Road,  
Vadodara - 390 024,  
India

## **10. For Chemical Emergency :**

Spill, Leak, Fire, Exposure, or Accident, Call CHEMTREC  
Within USA and Canada: 1-800-424-9300  
Outside USA and Canada: +1 703-527-3887

## **Disclaimer :**



The information published in this Technical Data Sheet has been compiled with the basic objective of selling and use of 2,3-Xylidine that meet basic quality requirements. Information presented herein has been considered to be accurate and reliable to the best

of our knowledge and belief, but is not guaranteed to be so. The information is provided without any representation of warranty, expressed or implied, regarding the accuracy or correctness. It is the user's

responsibility to determine the accuracy or suitability of this information. Deepak Nitrite assume no responsibility for the accuracy or suitability of such information for application to the purchaser's intended purpose or for consequences of its use. Adoption of necessary safety precautions, for any intended usage, shall remain the user's responsibility.

Since conditions of use are beyond our control, we make no warranties, expressed or implied, except those that may be contained in our written contract of sale or acknowledgment. Deepak Nitrite assumes no responsibility for injury to user or third persons proximately caused by the material if reasonable safety procedures are not adhered to as stipulated in the Material Safety Data Sheet. Additionally, Deepak Nitrite assumes no responsibility for injury to user or third persons proximately caused by abnormal use of the material, even if reasonable safety procedures are followed. The conditions or methods of handling, storage, and / or use of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage, or expense arising out of or in any way connected with the handling, storage, and / or use of this product.

All information provided herein is intended for use by persons having requisite knowledge, skill and experience in the chemical industry.